

## EAST Search History

| Ref # | Hits | Search Query                                                                                                                                                         | DBs                                                         | Default Operator | Plurals | Time Stamp          |
|-------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|------------------|---------|---------------------|
| S97   | 10   | ("20020138301"  <br>"20020188509"  <br>"20030227386"  <br>"20040025030"  <br>"20040167905"  <br>"4641347"   "4835372"  <br>"5867821"   "6021392"  <br>"7024154").PN. | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2009/03/25<br>12:48 |
| S98   | 6    | S97 and unique                                                                                                                                                       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2009/03/25<br>12:48 |
| S99   | 3    | S97 and unique near5 code                                                                                                                                            | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2009/03/25<br>12:48 |
| S100  | 1    | S97 and unique near5 activity                                                                                                                                        | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2009/03/25<br>12:48 |
| S101  | 4    | ("20020138301"  <br>"4835372"   "5867821"  <br>"6021392").PN.                                                                                                        | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2009/03/25<br>12:48 |
| S102  | 1    | S101 and algorithm                                                                                                                                                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2009/03/25<br>12:48 |
| S103  | 103  | (workplace near5 element)<br>and (@pd<"20030321"<br>@rlad<"20030321"<br>@ad<"20030321")                                                                              | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2009/03/25<br>12:48 |
| S104  | 9    | ((medical hospital) near5<br>equipment near5 (barcode<br>(bar adj code)) near5 scan<br>\$4) and (@pd<"20030321"<br>@rlad<"20030321"<br>@ad<"20030321")               | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR               | ON      | 2009/03/25<br>12:48 |

|      |     |                                                                                                                                                   |                                                             |    |    |                     |
|------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|----|----|---------------------|
| S105 | 148 | ((database (data adj base))<br>near10 scan\$4 near5<br>security) and<br>(@pd<"20030321"<br>@rlad<"20030321"<br>@ad<"20030321")                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S106 | 3   | ((database (data adj base))<br>near10 scan\$4 near10<br>security near10 activit\$3)<br>and (@pd<"20030321"<br>@rlad<"20030321"<br>@ad<"20030321") | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S107 | 38  | ((database (data adj base))<br>near10 scan\$4 near10<br>activit\$3) and<br>(@pd<"20030321"<br>@rlad<"20030321"<br>@ad<"20030321")                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S108 | 132 | (patient near10 scan\$4<br>near10 activit\$3) and<br>(@pd<"20030321"<br>@rlad<"20030321"<br>@ad<"20030321")                                       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S109 | 5   | (patient near10 scan\$4<br>near10 record\$3 near10<br>activit\$3) and<br>(@pd<"20030321"<br>@rlad<"20030321"<br>@ad<"20030321")                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S110 | 1   | 10/549432                                                                                                                                         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S111 | 10  | ((registration adj database)<br>same ((lookup (look adj<br>up)) near table)) and<br>(@pd<"20030321"<br>@rlad<"20030321"<br>@ad<"20030321")        | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S112 | 38  | ((database) same ((lookup<br>(look adj up)) near table)<br>and (element near code))<br>and (@pd<"20030321"<br>@rlad<"20030321"<br>@ad<"20030321") | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |

|      |     |                                                                                                                                                                             |                                                             |    |    |                     |
|------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|----|----|---------------------|
| S113 | 185 | ((database) same ((lookup (look adj up)) near table) same (barcode (bar adj code))) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S114 | 1   | (convert\$3 near5 (element adj code) near5 (barcode (bar adj code))) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S115 | 195 | ((build\$3 creat\$3) near5 database) same ((lookup (look adj up)) near table) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                          | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S116 | 135 | ((build\$3 creat\$3 generat\$3) near5 database) same ((lookup (look adj up)) near table) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321") and ("705" "707" "709").clas. | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S117 | 1   | 10/708568 and (((build\$3 creat\$3 generat\$3) near5 database) same ((lookup (look adj up)) near table))                                                                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S118 | 5   | 10/378456 and (((build\$3 creat\$3 generat\$3) near5 database) same ((lookup (look adj up)) near table))                                                                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S119 | 6   | 10/027984 and (((build\$3 creat\$3 generat\$3) near5 database) same ((lookup (look adj up)) near table))                                                                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S120 | 311 | ((build\$3 creat\$3 generat\$3) near5 delimit\$3 near5 (file record field)) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                            | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |

|      |     |                                                                                                                                                          |                                                             |    |    |                     |
|------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|----|----|---------------------|
| S121 | 7   | ((database (data adj base)) near5 (build\$3 creat\$3 generat\$3) near5 (file record field)) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S122 | 6   | ((database (data adj base)) near5 (map\$4) near5 (delimit\$3 near5 (file record field)) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")             | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S123 | 222 | ((import\$3 map\$4) near10 (delimit\$3 near5 (file record field)) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S124 | 1   | ((import\$3 map\$4) near10 (delimit\$3 near10 (file record field) same (barcode (bar adj code)))) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S125 | 91  | ((database (data adj base)) near10 (import\$3 map\$4) near10 (delimit\$3 near5 (file record field)) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321") | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S126 | 1   | "20030227386" and (event near10 (sensor equipment badge interface))                                                                                      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S127 | 33  | unique near5 activity near5 code and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                                                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S129 | 1   | (activity near5 code) same (element near5 code) same delimit\$3                                                                                          | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |

|      |      |                                                                                                                                                                      |                                                             |    |    |                     |
|------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|----|----|---------------------|
| S130 | 25   | (unique independent) near5<br>(activity near5 code) near5<br>(id code) and<br>(@pd<"20030321"<br>@rlad<"20030321"<br>@ad<"20030321")                                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S131 | 271  | (activity) adj (id code) and<br>(@pd<"20030321"<br>@rlad<"20030321"<br>@ad<"20030321") and<br>("707" "705" "715" "709").<br>clas.                                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S132 | 220  | (activity) adj (id code) and<br>(@pd<"20030321"<br>@rlad<"20030321"<br>@ad<"20030321") and<br>("707" "705").clas.                                                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S133 | 55   | (activity) adj (id code)<br>near10 (patient customer<br>user) and<br>(@pd<"20030321"<br>@rlad<"20030321"<br>@ad<"20030321") and<br>("707" "705").clas.               | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S134 | 2    | (activity) adj (id code)<br>near10 (patient customer<br>user) near10 unique and<br>(@pd<"20030321"<br>@rlad<"20030321"<br>@ad<"20030321") and<br>("707" "705").clas. | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S135 | 16   | (activity) adj (id code)<br>near10 unique and<br>(@pd<"20030321"<br>@rlad<"20030321"<br>@ad<"20030321") and<br>("707" "705").clas.                                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S136 | 95   | (activity) near5 (patient<br>doctor caregiver<br>carereceiver) near5 (tool<br>equipment) and<br>(@pd<"20030321"<br>@rlad<"20030321"<br>@ad<"20030321")               | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S137 | 3107 | "47" and (unique) adj code                                                                                                                                           | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |

|      |    |                                                                                                                                                                                        |                                                             |    |    |                     |
|------|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|----|----|---------------------|
| S138 | 1  | S136 and (unique) adj code                                                                                                                                                             | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S139 | 22 | S136 and (identif\$4<br>identification) near5 activity                                                                                                                                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S140 | 63 | (activity) near5 (id code)<br>and (patient doctor<br>caregiver carereceiver)<br>near5 (tool equipment) and<br>(@pd<"20030321"<br>@rlad<"20030321"<br>@ad<"20030321")                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S141 | 2  | (activity) near5 (id code)<br>same (patient doctor<br>caregiver carereceiver)<br>near5 (tool equipment) and<br>(@pd<"20030321"<br>@rlad<"20030321"<br>@ad<"20030321")                  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S142 | 6  | (activity) near5 (id code)<br>and (patient doctor<br>caregiver carereceiver)<br>near5 (tool equipment)<br>near5 activity and<br>(@pd<"20030321"<br>@rlad<"20030321"<br>@ad<"20030321") | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S143 | 53 | (activity) near5 index\$3 and<br>(patient doctor caregiver<br>carereceiver) near5 (tool<br>equipment) and<br>(@pd<"20030321"<br>@rlad<"20030321"<br>@ad<"20030321")                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S144 | 8  | (activity) near5 index\$3<br>near5 (code id) and<br>(patient doctor caregiver<br>carereceiver) and<br>(@pd<"20030321"<br>@rlad<"20030321"<br>@ad<"20030321")                           | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S145 | 8  | (activity) near5 index\$3<br>near5 (code id) and<br>(patient caregiver<br>carereceiver) and<br>(@pd<"20030321"<br>@rlad<"20030321"<br>@ad<"20030321")                                  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |

|      |     |                                                                                                                                                                                              |                                                 |    |    |                  |
|------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|----|----|------------------|
| S146 | 54  | (activity) near5 (code id) near5 (patient caregiver carereceiver) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                                                       | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/25 12:48 |
| S147 | 75  | (activity) near5 (machine equipment tool) near5 (patient caregiver carereceiver) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                                        | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/25 12:48 |
| S148 | 25  | unique and (activity) near5 (machine equipment tool) near5 (patient caregiver carereceiver) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                             | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/25 12:48 |
| S149 | 335 | (log logging record) near5 (activity) near5 (patient caregiver carereceiver caretaker) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                                  | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/25 12:48 |
| S150 | 7   | (log logging record) near5 (activity) near5 (patient caregiver carereceiver caretaker) same index\$3 and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                    | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/25 12:48 |
| S151 | 1   | (index) near5 (log logging record) near5 (activity) near5 (patient caregiver carereceiver caretaker) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                    | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/25 12:48 |
| S152 | 5   | (unique) near5 (log logging record) near5 (activity) near5 (patient caregiver carereceiver caretaker user customer consumer individual) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/25 12:48 |

|      |      |                                                                                                                                                                                                                                      |                                                             |    |    |                     |
|------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|----|----|---------------------|
| S153 | 2132 | (unique) near5 (activity) and (patient caregiver carereceiver caretaker) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                                                                                        | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S154 | 333  | (unique) near5 (activity) same (log logging record identifi\$4 id) and (patient caregiver carereceiver caretaker) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                                               | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S155 | 23   | (unique) near5 (activity) near5 type and (patient caregiver carereceiver caretaker) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                                                                             | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S156 | 8    | (unique) near (id identifi\$6) near5 (activity) near5 type and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                                                                                                      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>12:48 |
| S157 | 3    | (table row) same (element item instrument) same (activity procedure) same workplace and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                                                                             | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>13:22 |
| S161 | 12   | (table row) near5 (database (data adj base)) same (equipment element item instrument) near5 (activity procedure) and (patient doctor hospital) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>13:30 |
| S162 | 118  | (table row) near5 (database (data adj base)) and (equipment element item instrument) near5 (activity procedure) same (caretak \$3 caregiv\$3 physician patient doctor hospital) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321") | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>13:35 |



|      |        |                                                                                                                                                                                                                                                       |                                                             |    |    |                     |
|------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|----|----|---------------------|
| S163 | 1      | (table row) near5 (database (data adj base)) same (equipment element item instrument) near5 (activity procedure) same (caretak\$3 caregiv\$3 physician patient doctor hospital) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>13:36 |
| S164 | 1      | (table row) near5 (database (data adj base)) and associat\$3 near5 (equipment element item instrument) near5 (activity procedure) same (caretak\$3 caregiv\$3 physician patient doctor hospital) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321") | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>13:36 |
| S165 | 1      | (table row) near5 (database (data adj base)) same (caretak\$3 caregiv\$3 physician patient doctor hospital) and associat\$3 near5 (equipment element item instrument) near5 (activity procedure) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321") | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>13:38 |
| S166 | 177    | (table row) same (caretak\$3 caregiv\$3 physician patient doctor hospital) and associat\$3 near5 (equipment element item instrument) near5 (activity procedure) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>13:39 |
| S167 | 237163 | ("707" "705" "715" "709").<br>clas.                                                                                                                                                                                                                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>13:39 |
| S168 | 30     | S166 and S167                                                                                                                                                                                                                                         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>13:39 |

|      |     |                                                                                                                                                                                                                                                              |                                                             |    |    |                     |
|------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|----|----|---------------------|
| S170 | 53  | (table row) same (associat\$3 link\$3 relat\$3 relation\$4) near5 (equipment element item instrument) near5 (activity procedure) and (caretak\$3 caregiv\$3 physician patient doctor hospital) and (@pd<"20030321"@rlad<"20030321"@ad<"20030321")            | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>13:50 |
| S173 | 102 | (table row) same associat\$3 near5 (equipment element item instrument) near5 (activity procedure) and (@pd<"20030321"@rlad<"20030321"@ad<"20030321")                                                                                                         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>13:58 |
| S174 | 42  | S173 and S167                                                                                                                                                                                                                                                | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>13:59 |
| S175 | 39  | S174 not S168                                                                                                                                                                                                                                                | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>13:59 |
| S176 | 1   | table near5 (database (data adj base)) same (hospital medical construction workplace) near5 (equipment element item instrument) same (hospital medical construction workplace) near5 (activity procedure) and (@pd<"20030321"@rlad<"20030321"@ad<"20030321") | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>14:09 |
| S177 | 132 | table same (hospital medical construction workplace) near5 (equipment element item instrument) same (hospital medical construction workplace) near5 (activity procedure) and (@pd<"20030321"@rlad<"20030321"@ad<"20030321")                                  | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>14:09 |

|      |        |                                                                                                                                                                                                                                                       |                                                             |    |    |                     |
|------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|----|----|---------------------|
| S178 | 14     | S177 and S167                                                                                                                                                                                                                                         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>14:10 |
| S179 | 66     | table same (patient caretaker) near5 (equipment element item instrument) near5 (activity procedure) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                                                                              | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>14:15 |
| S180 | 237163 | ("707" "705" "709" "715"). clas.                                                                                                                                                                                                                      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>14:16 |
| S182 | 4      | S179 and S180                                                                                                                                                                                                                                         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>14:16 |
| S183 | 2      | table same health near5 (equipment element item instrument) near5 (activity procedure) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                                                                                           | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>14:20 |
| S187 | 60     | (activity procedure) near5 (code id identifier) same (workplace surgical surgery medical health physican) near5 (equipment instrument tool item) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>14:29 |
| S188 | 28     | (associat\$3 link\$3 relat\$3 relation\$4) same (activity procedure) near5 (code id identifier) same (workplace surgical surgery medical health physican) near5 (equipment instrument tool item) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321") | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>14:29 |

|      |     |                                                                                                                                                                                                 |                                                             |    |    |                     |
|------|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|----|----|---------------------|
| S189 | 7   | (activity procedure) near5 cost near5 (equipment instrument tool item) same table and (surgical surgery medical health physician) and (@pd<"20030321"@rlad<"20030321"@ad<"20030321")            | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>14:44 |
| S190 | 56  | (surgical surgery medical health physician) near5 (equipment instrument) same table and (activity procedure) near5 (name code id identifier) and (@pd<"20030321"@rlad<"20030321"@ad<"20030321") | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>14:47 |
| S193 | 12  | (equipment instrument) same (table row form) near5 (database (data adj base)) same (activity procedure) near5 (name code id identifier) and (@pd<"20030321"@rlad<"20030321"@ad<"20030321")      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>14:54 |
| S194 | 1   | "5,537,325".pn.                                                                                                                                                                                 | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>14:55 |
| S195 | 376 | (table row form) near5 (database (data adj base)) same (activity procedure) near5 (code id identifier) and (@pd<"20030321"@rlad<"20030321"@ad<"20030321")                                       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>15:00 |
| S196 | 201 | S195 and S180                                                                                                                                                                                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>15:00 |
| S197 | 5   | S196 and (equipment instrument) same (activity procedure) near5 (code id identifier)                                                                                                            | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>15:01 |
| S198 | 15  | (activity procedure) adj based near5 (analysis track \$3 cost\$3) same (equipment instrument) same table                                                                                        | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>15:08 |

|      |      |                                                                                                                                                                                                             |                                                             |    |    |                     |
|------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|----|----|---------------------|
| S199 | 50   | (activity procedure) adj<br>based near5 (analysis track<br>\$3 cost\$3) same table                                                                                                                          | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>15:13 |
| S200 | 35   | S199 not S198                                                                                                                                                                                               | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>15:13 |
| S201 | 11   | (equipment instrument)<br>same (activity procedure)<br>near5 (code id identifier)<br>same row same table                                                                                                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>15:20 |
| S202 | 2    | (search\$3 quer\$4 retriev\$3)<br>near5 (activity procedure<br>protocol) near5 (code id<br>identifier) same table and<br>(equipment instrument)<br>near5 (activity procedure<br>protocol) near5 table       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>15:29 |
| S204 | 13   | (search\$3 quer\$4 retriev\$3)<br>near5 (activity) near5 (code<br>id identifier) same table and<br>(@pd< "20030321"<br>@rlad< "20030321"<br>@ad< "20030321")                                                | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>15:50 |
| S205 | 22   | (activity) adj based adj cost<br>\$3 same table and<br>(@pd< "20030321"<br>@rlad< "20030321"<br>@ad< "20030321")                                                                                            | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>15:54 |
| S206 | 8511 | (activity procedure<br>protocol) near5 (code id<br>identifier index\$3) same<br>table and<br>(@pd< "20030321"<br>@rlad< "20030321"<br>@ad< "20030321")                                                      | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>16:11 |
| S207 | 410  | (activity procedure<br>protocol) near5 (code id<br>identifier index\$3) same<br>(workplace resource<br>organization company)<br>same table and<br>(@pd< "20030321"<br>@rlad< "20030321"<br>@ad< "20030321") | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>16:12 |

|      |     |                                                                                                                                                                                                              |                                                             |    |    |                     |
|------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|----|----|---------------------|
| S208 | 164 | S207 and (equipment instrument)                                                                                                                                                                              | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>16:12 |
| S209 | 34  | (activity procedure protocol) near5 (code id identifier index\$3) same (workplace resource organization company) same table same (equipment instrument) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321") | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>16:13 |
| S210 | 2   | (activity) near5 (code id identifier index\$3) same (workplace resource organization company) same table same (equipment instrument) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>16:13 |
| S211 | 46  | (activity) near5 (code id identifier index\$3) same table same (equipment instrument) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                                                   | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>16:15 |
| S212 | 77  | (transaction) near5 (code id identifier index\$3) same table same (equipment instrument) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                                                | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>16:28 |
| S213 | 1   | S212 and 707/3.ccls.                                                                                                                                                                                         | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>16:29 |
| S214 | 154 | (transaction) near5 (code id identifier index\$3) same table and transaction near5 (instrument equipment) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")                                               | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>16:32 |

|      |    |                                                                                                                                                                                     |                                                             |    |    |                     |
|------|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|----|----|---------------------|
| S215 | 2  | (transaction) near5 (code id identifier index\$3) same table and transaction near5 (instrument equipment) near5 table and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")          | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>16:33 |
| S216 | 28 | (transaction) near5 (code id identifier index\$3) same table and associat\$3 near5 transaction near5 (instrument equipment) and (@pd<"20030321" @rlad<"20030321" @ad<"20030321")    | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>16:34 |
| S217 | 55 | (activity) near5 (code id identifier index\$3) same (instrument equipment) and activity same (instrument equipment) same table and (@pd<"20030321" @rlad<"20030321" @ad<"20030321") | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>16:37 |
| S218 | 1  | "20030227386"                                                                                                                                                                       | US-PGPUB;<br>USPAT;<br>USOCR; FPRS;<br>EPO; JPO;<br>IBM_TDB | OR | ON | 2009/03/25<br>18:33 |

3/ 25/ 2009 7:23:22 PM

C:\Documents and Settings\shoang\My Documents\EAST\Workspaces\son\_10\_549\_432\_case.  
wsp